郑州佰利得机器制造有限公司



# Zhengzhou Lead Equipment Co., Ltd.

 TMASHIMANERing-Road East, Tielu, Xushui Town, Zhongyuan District, Zhengzhou City, China.

 Website:www.leadcrete.com

 Skype : francislead

 WhatsApp: +8615637845245

 TEL.:+86-371-55090777 FAX: +86-371-63526676

 CATALOG

## PC Strands Pusher Machine

### Describe:

1) LS strand pusher machine can push PC strand continuously .

2) It has the features of easy operation, reliable performance, efficiency significantly.

3) The machine reduces the labour, and widely used for large-scale bridges, and constitutive objects.

4) High performance with good quality

5) It is the main tool of through strand in building bridges and large building with Prestressing work.

### 2. Main features:

It is easy to operate and convenient to maintain. In the process, two people can complete the operation, it can reduce labour and improve work efficiency.

### 3. Technology parameters:

Model	Diameter of pc strand	Distance of pushing	Voltage	Motor	weight	Size
	mm	m	V	kw	kg	cm
LS-4	12 to 16	50	380/220	4	120	55×40×24
LS-5.5	12 to 16	150	380/220	5.5	180	64×44×24
LS-7	12 to 16	200	380/220	7.5	230	95×44×40



郑州雨桐柳器。随有限公司

<sup>個利得机器</sup> Zhengzhou Lead Equipment Co., Ltd. Xisihuan Ring-Road East, Tielu, Xushui Town, Zhongyuan District, Zhengzhou City, China. Website:www.leadcrete.com E-Mail: daisy@leadcrete.com Skype : francislead WhatsApp: +8615637845245 TEL.:+86-371-55090777 FAX: +86-371-63526676 CATALOG

4 **Pictures:** 





郑州雨桐柳器。随有限公司

<sup>個利得机器</sup> Zhengzhou Lead Equipment Co., Ltd. Xisihuan Ring-Road East, Tielu, Xushui Town, Zhongyuan District, Zhengzhou City, China. Website:www.leadcrete.com E-Mail: daisy@leadcrete.com WhatsApp: +8615637845245 Skype : francislead TEL.:+86-371-55090777 FAX: +86-371-63526676

CATALOG







郑州雨桐柳器。随有限公司

<sup>個利得机器</sup> Zhengzhou Lead Equipment Co., Ltd. Xisihuan Ring-Road East, Tielu, Xushui Town, Zhongyuan District, Zhengzhou City, China. Website:www.leadcrete.com E-Mail: daisy@leadcrete.com Skype : francislead WhatsApp: +8615637845245 TEL.:+86-371-55090777 FAX: +86-371-63526676 CATALOG

